



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer **EOS Aura Science Team Meeting**

Aura TES Validation Update: V05

Robert Herman, Karen-Cady-Pereira, Dejian Fu, Susan Kulawik, Ming Luo, Vivienne Payne, Doug Shepard, Kevin Wecht, Helen Worden, John Worden, Kevin Bowman

**Jet Propulsion Laboratory
1 October 2012**

Copyright 2012 California
Institute of Technology.
Government sponsorship
acknowledged.



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer **Outline**

- V05 Improvements
- V05 New Products
- V05 Latest Validation Comparisons:
 - Radiance
 - H₂O
 - H₂O/HDO
 - CH₄
 - NH₃
 - O₃
 - TATM
 - CO
 - CO₂



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Validation Presentations this week

- O₃ from combined TES-OMI retrieval (Dejian Fu)
- CO from combined TES-MLS retrieval (Ming Luo)
- Minor trace-gases HCOOH, CH₃OH and NH₃ (Karen Cady-Pereira)
- CH₄ (talks by John Worden and Kevin Wecht)
- CH₃OH (talk by Kelley Wells and Dylan Millet, UMN)
- CO₂ (Susan Kulawik)




National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

V05 Improvements

- Joint retrieval of CH_4 , HDO, H_2O , and N_2O in the $1170\text{-}1330\text{ cm}^{-1}$ spectral band.
 - Significant improvements to retrieval of these species.
 - Better sensitivity to resolve boundary layer and free troposphere.
- CO new climatology (MOZART4) and constraint matrices, same as MOPITT.
- Species dependent quality control information (e.g. O_3 C-curve flag).
- Better handling of surface temperature (TSUR):
 - TSUR initial guess dependent on surface type (land/water)
 - Freshwater emissivity added
 - Ice emissivity if TSUR < 265 K over water



From Worden et al., 2011



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

V05 new products

TES V05 new standard products:

- Carbon Dioxide
- Ammonia
- Ozone infrared forcing kernel and tropospheric ozone column added to the Ozone Level 2 file.

TES new version in NetCDF format indexed by date rather than run id:

- Lite Products
- Daily Ozone Products
- Monthly Mean Ozone Products
- TES Subsetter



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

<http://tesweb.jpl.nasa.gov/data>

JPL HOME | EARTH | SOLAR SYSTEM | STARS & GALAXIES | SCIENCE & TECHNOLOGY
BRING THE UNIVERSE TO YOU: JPL Email News | RSS | Podcast | Video

Home

DATA

News

Mission & Science

Instrument

Data

Products

Tools

Files

Algorithms

Data Calendar

Validation

Visualization

Team

Documents

Within these pages are descriptions of how TES data are processed, what are the standard TES data products and where to obtain them, and what are the data formats and the tools to manipulate them.

- [Products](#): lists TES standard products.
- [Lite Products](#): provide access to TES reduced size products in netCDF format providing L2 daily data organized by month.
Readme: [Release Description](#)
- [Daily ozone](#): provides access to TES Global Survey and Special Observations of daily ozone in netCDF format.
- [Daily ozone & IRK](#): provides access to TES Global Survey daily ozone and instantaneous radiative kernels in netCDF format.
- [Tools](#): describes tools useful for accessing TES L1B, L2, and L3 data.
- [Files](#): detailed description of data file specifications for L1B, L2, and L3.
- [Algorithms](#): description of TES data processing
- [Data Calendar](#): updated information on TES data availability in time and space.
- [Validation](#): current validation status and information regarding ongoing TES validation requirements.

The primary location for obtaining TES data is NASA's Reverb Tool ([Reverb](#)). The [TES subsetter](#) provides access to the TES L2 subsetter hosted at the ASDC website. The [TES Data Sets](#) page at NASA Langley Research Center ([LaRC ASDC](#)) provides access to software read tools, a Data Pool, and supporting documentation. Users of TES data are encouraged to contact the TES science team for further guidance on successfully applying and interpreting the data products.

The Aura Validation Data Center ([AVDC](#)) hosts an data archive site for preliminary TES data for validation and other science activities. Aura data including that from TES may be accessed from [Aura](#).

Ozone profiles reprocessing (v004)

Ozone profiles with surface pressure larger than 1030 hPa should not be used in current v004 TES data set. This condition of surface pressure occurs in approximately 1.5% of target scenes processed thus far. These target scenes have been identified in the TES O3 HDF product files through the data field Pressure; those target scenes indicating a non-fill Pressure of greater than 1030 hPa should be ignored. The targets with this error can also be identified by the presence of negative AveragingKernelDiagonal values (< -0.01). An update to the v004 software will fix the problem with these targets, and all targets listed in these [tables](#) will be reprocessed before v004 processing is completed.

Re-processing for v004 was completed on March 11, 2010.



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Link at the AVDC

The screenshot shows the homepage of the Goddard Space Flight Center's Aura validation data center. The top navigation bar includes the NASA logo, the text "GODDARD SPACE FLIGHT CENTER", and links for "Login" and "Sign up". The main banner features an image of Earth with atmospheric layers and the text "Aura validation data center".

[DATA/ AURA/ TES V05](#)

Name

CH4/

CO/

CO2/

H2O/

HDO/

NH3/

O3/

TATM/

[TES_Lite_Products_Users_Guide-Litev004.pdf](#)

[cdf_read.pro](#)

Size

<dir> Sep 26 2012 10:03

30 Kb Sep 11 2012 15:31

4 Kb Aug 23 2012 16:46

2 file(s) found

[select/unselect all](#)

[Download selected files \(tar file\)](#)

[back](#) | [home](#)

AVDC Contact: [Ghassan Taha](#)

[Michael M. Yan](#)

NASA Official: [Richard D. McPeters](#)

Last Updated: April 12, 2010



[+NASA Privacy, Security, Notices](#)



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Lite Product: CO₂



You are not logged in.
[Login](#) [Sign up](#)

[DATA/AURA/ TES V05/ CO2](#)

Name	Size	Date
TES-Aura_L2-CO2-Nadir_2005-01_L2v005_Litev004.nc	96 Mb	Aug 29 2012 19:03
TES-Aura_L2-CO2-Nadir_2005-02_L2v005_Litev004.nc	95 Mb	Aug 29 2012 19:08
TES-Aura_L2-CO2-Nadir_2005-03_L2v005_Litev004.nc	118 Mb	Aug 29 2012 19:16
TES-Aura_L2-CO2-Nadir_2005-04_L2v005_Litev004.nc	46 Mb	Aug 29 2012 19:18
TES-Aura_L2-CO2-Nadir_2005-05_L2v005_Litev004.nc	82 Mb	Aug 29 2012 19:23
TES-Aura_L2-CO2-Nadir_2005-07_L2v005_Litev004.nc	384 Mb	Aug 29 2012 19:53
TES-Aura_L2-CO2-Nadir_2005-08_L2v005_Litev004.nc	357 Mb	Aug 29 2012 20:21
TES-Aura_L2-CO2-Nadir_2005-09_L2v005_Litev004.nc	153 Mb	Aug 29 2012 20:31
TES-Aura_L2-CO2-Nadir_2005-10_L2v005_Litev004.nc	424 Mb	Aug 29 2012 21:06
TES-Aura_L2-CO2-Nadir_2005-11_L2v005_Litev004.nc	336 Mb	Aug 29 2012 21:31
TES-Aura_L2-CO2-Nadir_2005-12_L2v005_Litev004.nc	326 Mb	Aug 29 2012 21:52
TES-Aura_L2-CO2-Nadir_2006-01_L2v005_Litev004.nc	404 Mb	Aug 29 2012 03:46
TES-Aura_L2-CO2-Nadir_2006-02_L2v005_Litev004.nc	350 Mb	Aug 29 2012 04:13
TES-Aura_L2-CO2-Nadir_2006-03_L2v005_Litev004.nc	416 Mb	Aug 29 2012 04:48
TES-Aura_L2-CO2-Nadir_2006-04_L2v005_Litev004.nc	404 Mb	Aug 29 2012 05:21
TES-Aura_L2-CO2-Nadir_2006-05_L2v005_Litev004.nc	465 Mb	Aug 29 2012 06:03
TES-Aura_L2-CO2-Nadir_2006-06_L2v005_Litev004.nc	375 Mb	Aug 29 2012 06:33
TES-Aura_L2-CO2-Nadir_2006-07_L2v005_Litev004.nc	493 Mb	Aug 29 2012 07:19
TES-Aura_L2-CO2-Nadir_2006-08_L2v005_Litev004.nc	461 Mb	Aug 29 2012 07:59
TES-Aura_L2-CO2-Nadir_2006-09_L2v005_Litev004.nc	264 Mb	Aug 29 2012 08:17
TES-Aura_L2-CO2-Nadir_2006-10_L2v005_Litev004.nc	426 Mb	Aug 29 2012 08:52



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

V05 Documentation

- TES “Quick Start” guide is now available at TES web site:
<http://tes.jpl.nasa.gov/uploadedfiles/TESQuickStartGuide.htm>
- Example of using TES data:
<http://tes.jpl.nasa.gov/uploadedfiles/KulawikExampleUseTESdata.pdf>
- Updated TES Data User’s Guide v05 available soon at both the TES web site and Langley Atmospheric Science Data Center:
- TES Validation Report v05 – available online at the Langley Atmospheric Science Data Center:
http://eosweb.larc.nasa.gov/PRODOCS/tes/validation/TES_Validation_Reportv50.pdf
- TES L2 Data Quality Statement - Current validation status by species (Also included in the updated TES Data User’s Guide):
<http://tes.jpl.nasa.gov/uploadedfiles/L2QualityStatementV04Data.htm>



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer




Validation of combined Aura retrievals



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Combined TES/OMI Retrieval



See talk by Dejian Fu.

The combined TES/OMI retrieval:

- closely matches the original ozonesonde measurements
- differs from the *a priori* profiles
- has the smallest differences to the *in situ* measurements among the three sets of satellite measurements




National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Combined TES/MLS retrieval

See poster by Ming Luo, "CO profile retrieved from combined TES and MLS measurements on Aura satellite"

- Combined retrieval of carbon monoxide by TES and MLS.
- New validation technique: balloon-borne AirCore measurement of CO and other gases (C. Sweeney, NOAA).
- More launches are planned for Oct 2012.





National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer **Validation**

- Latest Validation Comparisons:

- Radiance
- H₂O
- H₂O/HDO
- CH₄
- NH₃
- O₃
- TATM
- CO
- CO₂




National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

TES V05 Radiance

TES Radiance Validation – evaluation of new calibration approach

- Due to PCS degradation, routine viewing of the on-board blackbody during Global Surveys was eliminated in April 2010.



No changes from 2009 to
2010 due to new
calibration approach

Method: compare TES spectra convolved with AIRS
SRF (spectral response function) to AIRS radiance
for cloud-free ocean scenes.

H. Worden & P. Saha



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Jointly retrieved species

- H₂O
 - HDO
 - CH₄
- (N₂O used to correct
errors in CH₄)




National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology


Tropospheric Emission Spectrometer

H₂O V05

ARM SGP radiosonde, 2/12/2006



Houston (MACPEX) radiosonde, 4/13/2011






National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

$\text{H}_2\text{O}/\text{HDO}$ (J. Worden)

V05-V04 (Worden et al., 2011)

- Greater sensitivity to the boundary layer and the free troposphere.
- Greater latitudinal coverage.








National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer TES V05 CH₄

- Retrieval approach: Worden et al., AMT [2012]
- Validation against HIPPO data: Wecht et al., ACP [2012]



Dotted/dashed lines show approximate pressure
values for “upper/lower troposphere” values



Biases shown here are *after* N₂O correction
– see Worden et al. [2012] for more details



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer


TES NH₃ Validation (Cady-Pereira)

aer

Atmospheric and
Environmental Research, Inc.


CALNEX: TES vs Aircraft

TES May 14 transect @13:15 local



Partial P3 May 12 track
(flying at ~ 300 AGL @ 17:30 local)

TES
Aircraft



NH₃ measurements from TES and
aircraft are well correlated





National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

TES OZONE (D. Fu):

- Ozonesonde-TES matches (2004-2009)
- Matching criteria: ± 9 hr, 300 km, with a cloud filter [Nassar et al., 2008].
- V05 results (right) similar to V02 (left) from [Nassar et al., 2008].
- No change to O_3 retrieval from V04 to V05 – except for Ccurve quality flag.

Tropospheric Emission Spectrometer






National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

TATM V05 Validation (Herman)

- Radiosonde-TES comparisons (2004-2008):
- Lower Tropospheric bias is within ± 0.5 K.
- Upper Tropospheric bias is -0.5 K.
- No change from V04 to V05, except for ice emissivity.





National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

TES V05 CO

❑ Major changes from TES V04:


- ✓ Update the a priori profiles with MOZART V04 model monthly, lat/lon bin.
- ✓ Update the a priori constraint with the same algorithm as the MOPITT V04 retrievals.

❑ Instrument performances affecting CO data quality:

- ✓ Better CO data (e.g., larger DOFS) due to better optical alignment since Dec 2005.
- ✓ Worse CO data (e.g., drop-off in retrieval throughput) in 2011 due to poor ICS performance. 2012 data is normal.

❑ Repeated CO validations by comparing to MOPITT V04.

- ✓ Global patterns of CO distributions seen from TES are in good qualitative agreement with MOPITT.
- ✓ Direct comparisons are much improved over previous versions of TES and MOPITT data, due to similar a priori profiles and constraints.
- ✓ After properly adjusted for the a priori and averaging kernels, TES and MOPITT CO agrees better than the direct comparisons.
- ✓ In comparisons of selected measurements taken post Dec 2005, TES CO at upper troposphere is biased lower than that of MOPITT by a few percent.






National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Carbon Dioxide V05 (S. Kulawik)


v5 Aura-TES CO₂ - 2009

- Coverage 40S to 45N, peak sensitivity about 600 mb
- Errors ~1.5 ppm for regional monthly averages
- Validated versus HIPPO and SGP aircraft profiles (Kulawik et al., 2012)




■ TCCON

April, 2009



July, 2009



TES 10x20 degree x 1 month





National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer **Summary**

We have shown the latest TES V05 Validation Comparisons:

- Radiance
- H₂O
- H₂O/HDO
- CH₄
- NH₃
- O₃
- TATM
- CO
- CO₂



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Extra

Copyright 2010 California
Institute of Technology.
Government sponsorship
acknowledged.



National Aeronautics and Space
Administration
Jet Propulsion Laboratory
California Institute of
Technology

Tropospheric Emission Spectrometer

Latest Validation Publications

Work is being done on updating validation status for most species, specifically:

- TES nadir ozone/ozonesonde comparisons during ARC-IONS –
Boxe et al., ACP, 2009
- TES nadir ozone/ozonesonde comparisons from Houston – Boxe,
Morris, Herman, Osterman et al., 2010
- TES nadir ozone/ozonesonde global comparison for V04 data –
Boxe, Saha, Herman, Osterman et al., 2010
- HDO – Worden, Lee et al., 2009
- Carbon Monoxide – Ho et al., 2009
- Carbon Dioxide – Kulawik et al., ACP, in press
- Ammonia – Pinder, Cady-Pereira et al., 2010